

WHAT IS CLAIMED IS:

1. A resin composition comprising 3 to 80 parts by weight of a resol type phenolic resin (B1) or 3 to 150 parts by weight of a polyhydric phenol (B2), based on 100 parts by weight of a copolymer (A) of an epoxy group-containing monomer and an  $\alpha$ -olefin.

2. A resin composition comprising the copolymer (A) and the resol type phenolic resin (B1) of Claim 1 and an olefin-based polymer (C), wherein the content of (B1) is from 3 to 80 parts by weight based on 100 parts by weight of the total amount of (A) and (C), and the content of (C) is from 1 to 700 parts by weight based on 100 parts by weight of (A).

3. A resin composition comprising the copolymer (A) and the polyhydric phenol (B2) of Claim 1 and an olefin-based polymer (C), wherein the content of (B2) is from 3 to 150 parts by weight based on 100 parts by weight of the total amount of (A) and (C), and the content of (C) is from 10 to 1000 parts by weight based on 100 parts by weight of (A).

4. A resin composition comprising the copolymer (A) and the resol type phenolic resin (B1) of Claim 1 and a carboxylic acid compound (D), wherein the content of (B1) is from 3 to 80 parts by weight based on 100 parts by weight of (A), and the content of (D) is from 0.1 to 30 parts by weight based on 100 parts by weight of the total amount of (A) and (B1).

5. A resin composition comprising the copolymer (A) and the resol type phenolic resin (B1) of Claim 1 and an olefin-based polymer (C) and a carboxylic acid-based compound (D), wherein the content of (B1) is from 3 to 80 parts by weight based on 100 parts by weight of the total amount of (A) and (C),

the content of (C) is from 1 to 700 parts by weight based on 100 parts by weight of (A), and the content of (D) is from 0.1 to 30 parts by weight based on 100 parts by weight of the total amount of (A), (B1) and (C).

5        6. The resin composition according to Claim 1, wherein the resol type phenol resin (B1) is a resol type alkylphenol resin.

7. The resin composition according to Claims 3, wherein the resol type phenol resin (B1) is a resol type alkylphenol  
10 resin.

8. The resin composition according to Claims 4, wherein the resol type phenol resin (B1) is a resol type alkylphenol resin.

9. A powder of the resin composition according to Claim  
15 1, having an average particle size of 30 to 1000  $\mu$ m.

10. A laminate (I) manufactured by laminating a layer (1) made of the resin composition according to Claim 1 and a layer (2) made of polyurethane.

11. A laminate (II) manufactured by laminating a layer  
20 (1) made of the resin composition according to Claim 1 and a layer (3) made of an olefin-based or styrene-based thermoplastic elastomer.

12. A laminate (III) manufactured by laminating a layer  
25 (2) made of polyurethane and a layer (3) made of an olefin-based or styrene-based thermoplastic elastomer via a layer (1) made of the resin composition according to Claim 1.

13. The laminate according to Claims 10, wherein the layer (1) is a layer produced by a powder molding method.

14. A method for producing the laminate according to Claim

10, comprising producing a layer (1) by a powder molding method.

10021351.121901